



2005-05

Wave effect on the gas transfer at water surfaces

Cheng, K.F.

Chu, P.C., K.F. Cheng, and Y.C. Chen, Wave effect on the gas transfer at water surfaces. Thirty Seventh International Liege Colloquium on Ocean Dynamics, Liege, Belgium, 2-6 May 2005 (download).
<http://hdl.handle.net/10945/36532>



Calhoun is a project of the Dudley Knox Library at NPS, furthering the precepts and goals of open government and government transparency. All information contained herein has been approved for release by the NPS Public Affairs Officer.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>



Wave Effect on the Gas Fluxes at Ocean Surface

Peter C Chu, K. F. Cheng, and Y.C. Chen

Naval Ocean Analysis and Prediction Laboratory

Department of Oceanography

Naval Postgraduate School


Monterey, California, USA

pcchu@nps.edu

<http://www.oc.nps.navy.mil/~chu>



Gas Transfer





Flux Parameterization Issues (Fairall et al. 2005)



- Representation in GCM
 - Most observations are point time averages
 - Concept of gustiness sufficient?
 - Mesoscale variable? Precip, convective mass flux, ...
- Strong winds
 - General question of turbulent fluxes, flow separation, wave momentum input
 - Sea spray influence
- Waves
 - Stress vector vs wind vector (2-D wave spectrum)
 - z_0 vs wave age & wave height
- Breaking waves
 - Gas and particle fluxes
 - Distribution of stress and TKE in ocean mixed layer
- Gas fluxes
 - Bubbles
 - Surfactants (physical vs chemical effects)
 - Extend models to chemical reactions



Gas Deposition Velocity

$$v_d = \langle w'c' \rangle / (c - c_s) = (r_a + r_b)^{-1}$$

Two parameters: $r_a \sim$ aerodynamic resistance
 $r_b \sim$ surface resistance

$$\frac{1}{r_a} = C_D \bar{u}$$



Surface Resistance



The surface resistance r_b depends on

- Roughness length: z_0
- Roughness Reynolds number: $Re = u^* z_0 / \nu$
- Schmidt number: $Sc = \nu / D_i$
- ν is the molecular viscosity, D_i is the diffusion coefficient



Examples



$$r_b = \int_{z_0}^{z_s} (D_i + K)^{-1} dz = \frac{(u_{z_0} + B_i^{-1})}{u_*} \quad \text{Kramm \& Dlugi (1994)}$$


$$r_b = \frac{1}{ku_*} \ln \frac{z_0}{z_{0c}} \quad \text{Asman (1994)}$$

$$z_c = 30 (v/u_*) \exp (-13.6 k S_c^{2/3}) \quad ; \text{ for } R_* < 0.13$$

$$z_c = 20 z_o \exp (-7.3 k R_*^{1/4} S_c^{1/2}) \quad ; \text{ for } R_* > 0.13$$



Waves





Wave Effects



- Waves $\rightarrow z_0 \rightarrow C_D \rightarrow r_a$
- Waves $\rightarrow z_0 \rightarrow (Re, Sc) \rightarrow r_b$
- WaveWatch-3 for the South China Sea as an example



Nondimensional Roughness Length



$$z_0^* \equiv gz_0/u_*^2 = f(c_p/u_*)$$

C_p = phase speed at peak frequency



Without Wave Effects

Charnock (1955)



$$z_0^* = \beta_*$$

$$\beta_* = 0.0185 \text{ (Wu 1980)}$$

$$0.035 \text{ (Kitaigorodskii and Volkov 1965)}$$

$$0.0144 \text{ (Garratt 1977)}$$

$$0.0192 \text{ (Geernaert et al. 1986)}$$



With Wave Effect (1)

Kitaigorodskii (1968)
$$z_0^2 = A^2 \int_0^\infty F(k) \exp\left(-\frac{2\kappa c}{u_*}\right) dk$$

$$c = c(k)$$

Kitaigorodskii with
 $F(\omega) = \beta g^2 \omega^{-5}$
 $\beta = 0.012$

$$z_0^* = 0.012 \Phi(x_0)$$

$$\Phi(x_0) \equiv \left[1 - e^{-x_0} \left(1 + x_0 + \frac{x_0^2}{2} + \frac{x_0^3}{6} \right) \right]^{1/2}$$

$$x_0 \equiv 2\kappa c_p u_*$$

Kitaigorodskii with
 $F(\omega) = \alpha_s g u_* \omega^{-4}$
 $\alpha_s = 0.062$

$$z_0^* = 0.014 \Phi(x_0)$$

$$\Phi(x_0) \equiv \left[1 - e^{-x_0} \left(1 + x_0 + \frac{x_0^2}{2} + \frac{x_0^3}{6} \right) \right]^{1/2}$$

$$x_0 \equiv 2\kappa c_p u_*$$

Kitaigorodskii
 (1970)

$$z_0^* = 0.068 \left(\frac{u_*}{c_p} \right)^{-3/2} \exp\left(-\kappa \frac{c_p}{u_*}\right)$$



With Wave Effect (2)



Hsu (1974) $z_0^* = 0.144 \left(\frac{u_*}{c_p} \right)^{1/2}$

Toba and Koga (1986) $z_0^* = \Omega \left(\frac{u_*}{c_p} \right)^{-1}$

$\Omega = 0.025$ (Toba and Koga 1986)
 0.015 (Toba et al. 1990)

Huang et al. (1986) $z_0^* = 0.085 \left(\frac{u_*}{c_p} \right)^{1/2} \Phi(x_0)$

$$\Phi(x_0) \equiv \left[1 - e^{-x_0} \left(1 + x_0 + \frac{x_0^2}{2} + \frac{x_0^3}{6} \right) \right]^{1/2}$$

$$x_0 \equiv 2\kappa c_p / u_*$$

Geernaert, Larsen and Hansen (1987) $z_0^* \equiv \frac{10g}{u_*^2} \exp \left(-3.65 \left(\frac{u_*}{c_p} \right)^{1/3} \right)$

$$C_D = 0.012 \left(\frac{u_*}{c_p} \right)^{2/3}$$



With Wave Effect



Masuda and Kusaba (1987) $z_0^* = 0.0129 \left(\frac{u_*}{c_p} \right)^{1.10}$

Donelan (1990) Field $z_0^* = 0.42 \left(\frac{u_*}{c_p} \right)^{1.03}$

Donelan (1990) Lab $z_0^* = 0.047 \left(\frac{u_*}{c_p} \right)^{0.68}$

Toba et al. (1990) [TIKEJ] $z_0^* = 0.020 \left(\frac{u_*}{c_p} \right)^{1/2}$

Mast, Kraan and Oost (1991) $z_0^* = 0.8 \left(\frac{u_*}{c_p} \right)$

Nordeng (1991) $z_0^* = 0.11 \left(\frac{u_*}{c_p} \right)^{3/4} \Phi(x_0)$

$$\Phi(x_0) \equiv \left[1 - e^{-x_0} \left(1 + x_0 + \frac{x_0^2}{2} + \frac{x_0^3}{6} \right) \right]^{1/2}$$

$$x_0 \equiv 2\kappa c_p / u_*$$

Smith et al. (1992) $z_0^* = 0.48 \left(\frac{u_*}{c_p} \right)$



NOAA WaveWatch-III

Third Generation Wave Model

(Tolman 1999)

$$\frac{\partial N}{\partial t} + \frac{1}{\cos \phi} \frac{\partial}{\partial \phi} \dot{\phi} N \cos \theta + \frac{\partial}{\partial \lambda} \dot{\lambda} N + \frac{\partial}{\partial k} \dot{k} N + \frac{\partial}{\partial \theta} \dot{\theta}_g N = \frac{S}{\sigma}$$

$$S = S_{in} + S_{nl} + S_{ds} + S_{bot}$$


$$\dot{\phi} = \frac{c_g \cos \theta + U_\phi}{R} \quad \dot{\lambda} = \frac{c_g \sin \theta + U_\phi}{R \cos \phi}$$

$$\dot{\theta}_g = \dot{\theta} - \frac{c_g \tan \phi \cos \theta}{R}$$

UNCLASSIFIED





South China Sea



UNCLASSIFIED





Monsoon Winds (from QuikScat Data)






T/P (a) crossover points and (b) tracks in the SCS.



UNCLASSIFIED



STATISTICAL EVALUATION OF WAVEWATCH-3




UNCLASSIFIED




Significant Wave Height (2000)



January



July







Total Deposit Velocity of CO₂ in January 2000



Without Wave Effect
(Charnock 1955)

With Wave Effect
(Toba & Koga 1986)







Total Deposit Velocity of CO₂ in July 2000



Without Wave Effect
(Charnock 1955)



With Wave Effect
(Toba & Koga 1986)







Total Deposit Velocity of O_2 in January 2000



Without Wave Effect
(Charnock 1955)

With Wave Effect
(Toba & Koga 1986)







Total Deposit Velocity of O_2 in July 2000



Without Wave Effect
(Charnock 1955)

With Wave Effect
(Toba & Koga 1986)







Total Deposit Velocity of NH_3 in January 2000



Without Wave Effect
(Charnock 1955)

With Wave Effect
(Toba & Koga 1986)







Total Deposit Velocity of NH_3 in July 2000



Without Wave Effect
(Charnock 1955)



With Wave Effect
(Toba & Koga 1986)





Conclusions



- (1) Waves increase the gas deposit velocity V_d (up to twice)
- (2) It is important to include a wave model into gas transfer model.